



**Submittal Check List for
Site Spec with Approved Master Plan
New Detached/Attached Single
Family or Duplex (2021 IRC / IECC)**



- **When submitting for *Site Specific* permits, submit only the following documents:**
 - **(10-day review time, 5 plans maximum per Builder per day)**
- **Permit Application:** A completed application includes a signature as well as all line items addressed (if an item is not applicable please note as such), and list of the included options.
- **Site Specific Architectural Plans**
 - Extract from the Approved Master Plan Set only the elevation style with options that apply to the site-specific model.
 - Example: *Modern Farmhouse + extended front patio + opt. 3-car garage + Bedroom 3 in lieu of study.*
 - The Site-Specific set should include the following pages from the Approved Master Plan Set
 - Basement / crawlspace plan
 - Finished basement plan (if applicable)
 - Floor plans
 - Elevations
 - Roof Plan
 - Building / stair sections / details
 - Electrical
 - “flipped” architectural floorplans and elevations are **not required**.
- **Engineered Foundation and structural Plans**
 - Show specific address for project in title block.
 - Proper orientation of foundation (i.e. garage left or garage right view from street)
 - Proper orientation of framing structurals (garage left or garage right)
 - Floor, roof, truss framing plans must match orientation of foundation.
 - Include only the elevation style and options that apply.
 - Show the address on the specific dwelling’s foundation for a single family attached plan (i.e. Townhomes).
- **Site Plan / Grading Plan**
 - Application can be found here:
<https://www.lovgov.org/home/showpublisheddocument/47887/636894761377270000>
 - Provide DRC Letter of Approval (if necessary)
 - Contact DRC@mcwinney.com for questions and further details.
 - Or any other approval needed from the HOA of the subdivision where building.
- **Residential Lot Stormwater Quality Permit Application**
- **Water Receipt** (needed if water services are coming from Fort Collins/Loveland Water District or Little Thompson Water District)

- **When submitting for Site Specific w/ Sales Office, submit the following:**
 - **A separate permit is issued for the sales office.**
- Floor plan of office space (can be a “cropped” image of the converted space)
- 2 exterior building elevations
- **Accessibility Plan (see Master Plan Checklist for details)**
- Site Plan
 - Provide DRC Letter of Approval (if necessary)
 - Contact DRC@mcwinney.com for questions and further details for homes being built in Millennium GDP

- **Rebate for Fiber Conduit Installation:**

Get a \$150 rebate for each fiber conduit installation on your single family or duplex new construction. Learn more at: www.LovelandPulse.com/Developers



Other Necessary Documents

New Detached / Attached Single Family / Duplex



- Foundation Setback and Elevation Certification (attached) -**
 - A completed certification is required once construction begins. Building Inspectors will pick this certificate up **on-site** when the Footing/Foundation/UFER inspection has been scheduled.
- Sprinkler Installation Affidavit (attached) -**
 - If the method of fire protection for the floors is P2904 automatic fire sprinklers, then this affidavit is required to be filled out by the licensed Plumbing Contractor. Building Inspectors will pick up the affidavit on-site when the Fire Sprinkler Affidavit inspection has been scheduled.
- Energy Compliance / Blower Door Report -**
 - Documentation must be provided at final inspection regarding the energy testing for the home (if energy compliance method is NOT prescriptive).
- Water/Waste Water Service Installation Report (attached) -**
 - Documentation regarding the installation must be provided at final inspection.
- Residential Certification of Lot Grading and Structure Elevation -**
 - A completed certification is required during final inspection. Building Inspectors will pick up this certificate **on-site** when the Final Grade Cert inspection has been scheduled.
 - If some circumstance does not allow you to meet the the required elevations, a **Residential Alternate Certification of Lot Grading and Structure Elevation** may be submitted.



Building Permit Site Plan Grading and Drainage Requirements



Please show the following on the site plan:

- Lot lines
- Existing and proposed easements
- Street names
- North Arrow
- Scale
- Proposed and existing structure locations clearly labeled on the property
- Proposed and existing driveways, patios, sidewalks, etc.
- Proposed spot elevations located at all lot corners
- Show the location and elevations of all defined 100-year floodplains that traverse the property
- Existing drainage facilities, structures, swales, irrigation facilities and sizes located on the lot
- Proposed flow direction using arrows showing positive drainage away from all structure foundation and to the street or to an approved discharge facility
- Proposed flow direction using arrows showing positive drainage away from all structure foundation and to the street or to an approved discharge facility
- Top of foundation (TOF) elevation for all on-site structures
- Minimum opening elevation (MOE) for all on-site structures - the MOE is the lowest opening in the structure in which surface water can enter
- Finished grades spot elevations at all corners of the on-site structures

Additional Grading criteria for properties that are not designed in an approved subdivision grading plan:

- A minimum 2.0% slope on all lot lines and within all swales
- The TOF and MOE a minimum of 1 foot above the 100-year water surface in streets, open channels, ditches, swales, or other drainage facilities, and 1.5 feet above all 100-year floodplains
- Finished grades are shown to be 6 inches lower than the top of foundation elevation
- The ground should slope away from all foundation walls at a minimum 5% for a distance up to 10 feet away from foundation unless otherwise specified in a geotechnical report specific to the structure or on the approved subdivision grading plan
- Show positive drainage away from house and off the lot to a street or approved drainage facility without negatively affecting neighboring properties
- Any proposed storm sewers and culverts - shall be labeled with upstream and downstream invert elevations, manhole rim elevations, pipe material, pipe length, and pipe slope, in order to be properly constructed per the City of Loveland Stormwater Standards

- Any proposed swales, open channels, cross-pan, etc. that are designed shall be labeled with flowline elevations, side slopes, longitudinal slopes and bottom widths in order to be properly constructed
- Spot elevations and grades do not cause ponding on or off site
- Spot elevations at upstream ends of proposed swales
- Slopes of all proposed swales are labeled
- Downspouts are directed away from adjacent lots and will not flood window wells, foundations, etc. on the lot or on adjacent lots
- Landscaping berms and features do not block the flow of water from drainage away from the foundation or off of the lot



City of Loveland Building
Residential Building Permit



PERMIT NUMBER: _____

Please submit completed application and supporting documents to

eplan-res@cityofloveland.org

Application Type: _____

Address: _____

Subdivision: _____ Block: _____ Lot: _____

Owner Name: _____ Address: _____

Owner Phone: _____ Owner Email: _____

Contact Name: _____ Business: _____

Contact Phone: _____ Contact Email: _____

General Contractor Business Name: _____ City License # _____

General Contractor Name: _____ Valuation: _____

Electrical Contractor: _____ Sub-valuation: _____

Mechanical Contractor: _____ Sub-valuation: _____

Plumbing Contractor: _____ Sub-valuation: _____

Number of Bathrooms (1/2)	
Number of Bathrooms (3/4)	
Number of Bathrooms (Full)	
Number of Bedrooms-Basement Only	
Number of Bedrooms-Excluding Basement	
Number of Dwelling Units	
Number of Stories	
Number of 0.75in Water Meters	
1st Sq Ft	
2nd Sq Ft	
Basement Sq Ft (Finished)	
Basement Sq Ft (UnFinished)	
Structure Height (Ft)	
Sq Ft of Covered Deck Area	
Sq Ft of Uncovered Deck Area	
Electric Service Size Amps	
Electric Service Provider?	
What is the Energy Code Compliance Method?	
*If Prescriptive indicate R-Value for roof/walls/floor	
Number of Fireplaces/Pits-Gas <small>(Provide Manufacture Specs)</small>	
Number of Fireplaces/Stoves-Wood <small>(Provide Manufacture Specs)</small>	
Fire Protection of Floors Method	
Fully Sprinklered Type?	
Garage Sq Ft	
Garden Level Sq Ft	

Lot Size in Sq Ft	
Master Plan Number If Applicable	
Master Plan Name/Elevation	
Will this NDSF/NASF be used as a sales office?	
*If more than 12 months, CBO approval required	
Sq Ft of Patio Covered Area	
Sq Ft of Uncovered Patio Area	
Sq Ft of Covered Porch Area	
Sq Ft of Uncovered Porch Area	
Air Conditioning?	
What is the Type of Heat?	
Water Service Provider?	
Garage Type (ex: 2-car attached)	
Crawl Space Sf Ft	
Total New Square Footage of Project	
Affordable Housing?	
Are you adding City of Loveland Pulse fiber conduit?	
Work description:	

I certify this application is correct. I agree to perform the work described according to plans and specifications submitted and approved. I agree to comply with all city ordinances, state laws and building codes. Additionally, I **UNDERSTAND THAT I AM RESPONSIBLE FOR ANY FEES OR EXPENSES INCURRED FOR PLAN REVIEW, PERMITS, INSPECTIONS AND OTHER FEES ASSOCIATED WITH THIS APPLICATION. FAILURE TO PICK UP AND PAY FOR THIS PERMIT WITHIN 90 DAYS OF APPROVAL WILL RESULT IN THE APPLICATION BEING CLOSED AND THE PLAN CHECK FEES BEING ASSESSED. ALL FEES UNDER THIS APPLICATION THEN BECOME NULL AND VOID.** This application does not authorize any work within the right-of-way or curb cuts, contact Public Works at 970-962-2516.

Signature

Date

Certification of Foundation Setback and Structure Elevation

It is the responsibility of the builder to ensure that the setback and top of foundation for the residential structure are in accordance with the City approved site plan for this lot. The following certification from a Professional Land Surveyor will be required for this property once the foundation has been formed but not poured.

Date:	Permit No.
Lot: Block:	Subdivision:
Address:	

Setbacks		
	Approved Setbacks	Actual Setbacks
Front Setback		
Rear Setback		
Side Setback (N,E,S,W)		
Side Setback (N,E,S,W)		
Top of Foundation		
	Approved TOF	Actual TOF

Certification

I, _____, a Colorado registered Professional Surveyor, certify that the above referenced property located in City of Loveland, Larimer County, Colorado, was inspected on _____. (Attach a location improvement certificate, Foundation Only.)

I further certify that one of the following is true: *(select item)*

The foundation setbacks are in compliance with the approved site plan.

The setbacks of the structure are not in compliance with the approved site plan, but within the approved setbacks for this subdivision. A new site plan has been submitted to the City Planning Division for approval.

The setbacks of the structure are not in compliance with the approved site plan, and not within the approved setbacks for this subdivision. A variance may be required to proceed.

The top of foundation has been completed within +/- 0.50 foot tolerance of the approved site plan or +/-0.10 foot of the approved grading plan for this lot.

The top of foundation lot is not in conformance with the approved subdivision grading plan or the approved site plan for this property but adequately provide proper drainage away from buildings and off the lot without negatively affecting the lot, adjacent properties, structures or city infrastructure. A new site plan that has been stamped by a Colorado registered Professional Engineer has been submitted to the City of Loveland for approval.

Signature: _____

This certification must be submitted to BuildingInspectionLetters@cityofloveland.org prior to the approval of the setback and elevation inspection.



**Development Services
Building Division**

410 E 5th Street • Loveland, CO 80537
(970) 962-2505 • Fax (970) 962-2904
www.cityofloveland.org

*** * * Return completed form to City of Loveland Building Division. * * ***

Drainage plans for the property have been reviewed and accepted by the City of Loveland.

It is the responsibility of the builder to ensure that the elevation and grading of the lot are in accord with the approved grading and drainage plans for this subdivision and the approved site plan for this lot, including ensuring that the lowest opening elevation and top of foundation are within two inches of design elevation.

The following certification from a Professional Engineer will be required for this property prior to issuance of a Certificate of Occupancy.

Residential Certification of Lot Grading and Structure Elevation

Date: _____

Lot: _____ Block: _____

Permit No. _____

Subdivision: _____

Address: _____

Parcel: _____

Top of Foundation Elevation: _____

Minimum Opening Elevation: _____

Finished Floor Elevation: _____

I, (Print) _____, a Colorado registered Professional Engineer, certify that the above referenced property located in City of Loveland, Larimer County, Colorado, was inspected on (Date) _____, that construction and grading on the property is complete. (Attach site plan with as-built elevations/final grade survey.) I further certify that one of the following is true:

- The grading and drainage patterns on the lot are completed within +/- 0.10 foot tolerance of the approved subdivision grading plan for this property and/or the approved site plan for this lot.
- The grading and drainage patterns on the lot are not in conformance with the approved subdivision grading plan or the approved site plan for this property but adequately provide proper drainage away from buildings and off the lot without negatively affecting the lot, adjacent properties, structures or city infrastructure.

Please address the following grading and drainage design elements by checking "yes" or "no". For every "no" answer, please provide an explanation of how the as-built grades differ from the design element and how it will not negatively affect the drainage patterns on this site, the surrounding properties and the downstream stormwater facilities. If other grading and drainage design elements that are not addressed in this list are in need of explanation, please provide those details in an attached letter.

1. The elevations for the structure are within two inches of the elevations presented in the approved subdivision grading plan and the approved site plan for this lot. Yes _____ No _____

Property Address: _____

2. The finished grade is a minimum 6 inches below the top of foundation. Yes _____ No _____

3. The minimum grade away from the foundation and window wells is 5% for the first 5 to 10 feet. Yes _____ No _____

4. The minimum slopes on the lot are not less than 2%. Yes _____ No _____

5. No low spots exist on the property that could cause ponding and all areas of the lot drain away from the foundation and off the lot without negatively impacting the lot, adjacent properties or city infrastructure. Yes _____ No _____

6. Side lot line drainage swales are constructed per the approved subdivision grading plan and site plan for this lot and allow drainage off the lots without negatively impacting the lot, adjacent properties or structures. Yes _____ No _____

7. The downspouts are directed away from adjacent lots and will not flood window wells, foundations, etc. on the lot or on adjacent lots. Yes _____ No _____

8. Landscaping berms and features do not block the flow of water from draining away from the foundation and off the lot. Yes _____ No _____

By: _____
(Signature, PE stamp)

This certification must be received in the Office of the City of Loveland Building Division (970-962-2505) prior to requesting a Certificate of Occupancy for the property.



Residential Lot Stormwater Quality Permit Application

BUILDING DIVISION

410 E. 5TH STREET • LOVELAND, CO 80537
(GENERAL INFORMATION) 970-962-2505
(FAX) 970-962-2904 • eplan-res@cityofloveland.org

STORMWATER DIVISION

PWA BUILDING • 2525 W. 1ST ST. • LOVELAND, CO 80537
(GENERAL INFORMATION) 970-962-2775
(FAX) 970-962-2908 • Stormwater@cityofloveland.org

A Stormwater Quality Permit is required for land disturbance activities upon the property by means including but not limited to grading; excavating; stockpiling soil, fill or other materials; clearing; vegetation removal; removal or deposit of any rock, soil, or other materials; or other activities which disturb/expose soil.

(1) Project Information:

Address:	Zip Code:
Project Name:	
Legal Description:	

(2) Contact Information:**(a). Name of Owner:**

Address:	
Phone:	Fax:
Mobile:	E-mail:

(b). Name of Builder:

Address:	
Phone:	Fax:
Mobile:	E-mail:

(c). Other:

Address:	
Phone:	Fax:
Mobile:	E-mail:

(3) SWMP Administrator:

Name:	Check One: <input type="checkbox"/> Phone <input type="checkbox"/> Mobile	Number: _____
-------	--	---------------

(4) List any site personnel along with their contact information who will have authority to make modifications to the Stormwater Management Plan (SWMP) if the SWMP Administrator is unavailable:

Name: _____	Check One: <input type="checkbox"/> Phone <input type="checkbox"/> Mobile	Number: _____
Name: _____	Check One: <input type="checkbox"/> Phone <input type="checkbox"/> Mobile	Number: _____

(5) Project Information:

Lot Size: _____ sq. ft.

(1). Will excavated material remain on the lot in which the building is taking place?
 Yes No Some

(2). If no or some, please indicate where the excavated material will be placed below.

(3). Do you own the lot(s) where the excavated material will be placed? Yes No

Please Note: If you don't own the lot(s) where the excavated material is to be placed you will be required to submit a signed letter of permission from the owner(s) of the lot(s).

Location(s) of Excavated Material: _____

(6) Project Schedule:

Expected work start date: _____ Expected work completion date: _____

As a condition for the issuance of a Stormwater Quality Permit for Residential dwellings, applicants shall be required to provide the City of Loveland a SWMP document specifically designed to address each lot that is disturbed as a result of the work described above or they can use the Small Site SWMP document (Drawing SW-16) developed by the City.

Are you using the Small Site Stormwater Management Plan (SWMP) document (Drawing SW-16) developed by the City?
 Yes No

WARNING:

The City of Loveland will not issue a Certificate of Occupancy if any of the sites disturbed as part of this Stormwater Quality Permit have not been sufficiently stabilized as determined in sole discretion by the City Inspector.

Note: This permit is separate from any permits that may be required by the Colorado Department of Public Health and Environment (CDPHE), Water Quality Control Division under the Colorado Discharge Permit System.

By signing and dating this application I acknowledge that:

- I have read all the documents attached to this permit application (**Residential Lot Stormwater Management Plan (SWMP) Guidance** and **Residential Lot Stormwater Quality Permit Fact Sheet**), and filled out the application to the best of my knowledge, and;
- I understand what temporary sediment erosion control measures are required for the building site. Furthermore, I understand that the SWMP document applies to all lots disturbed as a result of this building permit along with the consequences to me if the control measures are not maintained in accordance with the City of Loveland's expectations.

APPLICANT SIGNATURE: _____ **DATE:** _____

***** FOR OFFICE USE ONLY *****

Applicant is using the City of Loveland Small Site Stormwater Management Plan (SWMP) document (Drawing SW-16): <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Stormwater Management Plan (SWMP): <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	More than one lot is being impacted: <input type="checkbox"/> Yes <input type="checkbox"/> No
Received signed letter of permission from owner of lot to stockpile excavated material: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Approved: <input type="checkbox"/> Yes <input type="checkbox"/> No
Staff Comments: _____ _____	



Residential Lot Stormwater Quality Permit Fact Sheet

PUBLIC WORKS ADMINISTRATION (PWA) BUILDING
PUBLIC WORKS/STORMWATER
2525 W. 1ST STREET, LOVELAND, CO 80537
970-962-2775 • (FAX) 970-962-2908
WWW.CITYOFLOVELAND.ORG/STORMWATER

1. Why is a Residential Lot Stormwater Quality Permit required from the City of Loveland?

The City of Loveland's stormwater program is mandated under the National Pollutant Discharge Elimination System (NPDES), a component of the Clean Water Act. The requirement is intended to reduce the amount of pollutants entering waterways such as streams, rivers, lakes, and wetlands as a result of runoff from residential, commercial and industrial areas. Large construction sites have been under a requirement from the State (the Colorado Department of Public Health & Environment (CDPHE) to obtain permit coverage since 1992 (Phase I of the program). Small construction sites have been under a requirement to obtain permit coverage from CDPHE since July 1, 2002.

2. When is a Residential Lot Stormwater Quality Permit required from the City of Loveland?

The **Residential Lot Stormwater Quality Permit**, to be referred to as (**Permit**) is part of the Building Inspection Process. A **Permit** is required from the City of Loveland for disturbance activities upon the property by means including but not limited to grading; excavating; stockpiling soil, fill or other materials; clearing; vegetation removal; removal or deposit of any rock, soil, or other materials; or other activities which disturb/expose soil.

3. What is necessary to obtain a Residential Lot Stormwater Quality Permit from the City of Loveland?

- Fill-out all 6 sections, sign and date the Permit application form.**
 - **Section 1 - Project Information**
You will need to provide an address, zip code, project name, and legal description for the site.
 - **Section 2 - Contact Information**
You will need to provide the name, address, phone number(s), and e-mail of the **Owner** and **Builder**.
 - **Section 3 – SWMP (*Stormwater Management Plan*) Administrator**
You will need to designate a **SWMP Administrator** on the permit. *Note: The SWMP Administrator must be the person who will be the responsible party for the project regarding the installation & maintenance of temporary sediment/erosion control measures and who has the authority to make modifications to the SWMP.*
 - **Section 4 – Site Personnel who have the authority to make modifications to the SWMP**
You will need to provide the name(s) and contact information for any personnel other than the **SWMP Administrator** that are authorized to make modifications to the **SWMP**. *Note: Authorized site personnel are typically any site personnel in addition to the Permittee who can ensure quick response to control measure repairs and/or failures.*
 - **Section 5 – Project Information**
You will need to provide the lot size and where the excavated material will be placed.
 - **Section 6 – Project Schedule**
You will need to provide both the expected work start and completion dates.
 - **Sign and Date the Permit application form.**

Note: Failure to fill-out all 6 sections, sign and date the Permit application could delay the start of the project.

- Stormwater Management Plan (SWMP).** You may choose to (a.) use the City’s standard **Residential Lot SWMP** drawing (**Drawing SW-16**) that meets the minimum design criteria or (b.) you may choose to design your own **SWMP**. Please refer to the **Residential Lot SWMP Guidance** for plan requirements if you choose to design your own **SWMP**. *Please Note: If no **SWMP** document is submitted with the Residential Lot Stormwater Quality Permit Application the City of Loveland will require you to comply with the **Residential Lot SWMP** drawing (**Drawing SW-16**).*
- Performance Security.** None

4. What will happen if I fail to install and/or maintain the BMP(s) for the site?

Since the **Permit** is part of the Building Inspection process it will follow the same processes and procedures for non-compliance as any other Building Inspection. The failure to install and/or maintain the control measures on your site could result in the following:

- A stoppage of Building Inspections until the site is in compliance as determined by the City of Loveland Stormwater Inspector, and;
- A \$47.00 fee that the Building Department typically charges to “unlock” the inspection process.



Residential Lot Stormwater Management Plan (SWMP) Guidance

PUBLIC WORKS ADMINISTRATION (PWA) BUILDING
PUBLIC WORKS/STORMWATER
2525 W. 1ST STREET, LOVELAND, CO 80537
970-962-2775 • (FAX) 970-962-2908
WWW.CITYOFLOVELAND.ORG/STORMWATER

A **Stormwater Management Plan (SWMP)** is required for all City of Loveland Stormwater Quality Permits. This guidance document is for those who have chosen not to use the recommended standard **Small Site SWMP** drawing (**Drawing SW-16**). It has been specifically designed to help you develop a **SWMP** for your residential lot construction site.

Although the **SWMP** shall be prepared in accordance with good engineering, hydrologic and pollution control practices it does not need to be prepared by a registered engineer. The main objective of the **SWMP** is to prevent potential sources of pollution, including sediment, which may reasonably be expected to affect the quality of stormwater discharges associated with construction and development from leaving your residential lot construction site. The **SWMP** must show the location of each **Control Measure** which will be used to reduce the pollutants in stormwater discharges associated with construction activity runoff.

The **SWMP** will need the following:

1. A Base Map and/or Lot Drawing that:

- Shows all the existing water features, i.e., lakes, ditches, creeks, wetlands, etc., and labels them accordingly.
- Shows the location of the building, driveway, sidewalks, patio(s), etc. All features should be labeled accordingly.
- Shows the location of the gutter downspouts.
- Shows the direction of the stormwater runoff.
- Contains the following note: *“Note: The **SWMP** should be revised as the construction site conditions change so it accurately depicts the construction activity occurring on-site.”*

2. Location of Appropriate Control Measures

- The **SWMP** will need to show the location of the **Control Measures** that will be used and the **Control Measures** should be labeled accordingly:
 - Silt Fence (SF)
 - Concrete Washout (CW)
 - Wattle (W)
 - Port-o-let (P)
 - Construction Fence (CF)
 - Vehicle Tracking Control Pad (VTC)
 - Erosion Control Mat (ECM)
 - Dumpsters (D)
 - Waste Control (WC)

In addition to the **SWMP** the City of Loveland recommends the following:

1. Develop a Spill Prevention Plan

- There should be a plan developed appropriate to the site to handle materials, prevent spills and remediate any spill that may occur.

2. Develop Inspection and Maintenance Procedures

The **Control Measures** will need to be inspected and maintained regularly to ensure they are in good and effective operating condition. *Note: An efficient record-keeping system is a helpful tool in managing inspection and maintenance reports. It is recommended that a logbook be maintained for inspection reports, maintenance records, spill response, weather conditions, training, correspondence, etc.* To avoid inspection delays the City of Loveland recommends the following:

- a. Remove sediment from roadways by the end of each working day.
- b. Inspect **Control Measures** regularly.
 - Complete an inspection report for each inspection performed. *Note: you can develop your own document or use the Inspection and Maintenance Procedures Form below.*
 - Keep inspection reports in a binder located on site.
- c. Maintain **Control Measures** regularly.
 - Perform maintenance and repairs as soon as possible on items or areas identified in the inspection report.
 - Perform maintenance as indicated in the City of Loveland Storm Drainage Standards, per manufacturer's specifications, or other sources determined to be acceptable.

INSPECTION AND MAINTENANCE PROCEDURES FORM										
Inspection Date: _____			Time: _____ <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.							
EROSION, SEDIMENT AND WASTE CONTROL MEASURES										
No.	Control Measure	Practice Used		To Be Installed		Requires Maintenance		Needs Replacement (Not Functional)		Comments
		Yes	No	Yes	No	Yes	No	Yes	No	
1	Concrete Washout (CW)									
2	Construction Fence (CF)									
3	Dumpsters (D)									
4	Erosion Control Mat (ECM)									
5	Port-o-let (P)									
6	Silt Fence (SF)									
7	Vehicle Tracking Control (VTC)									
8	Waste Control (WC)									
9	Wattle (W)									
10										
11										

*Note: The failure to install and/or maintain the **Control Measures** for the site could result in a stoppage of building inspections until the site is in compliance as determined by the City of Loveland stormwater inspector.*



City of Loveland

Erosion Sediment Control Inspection Log (ESCIL)

Facility Name		Permittee					
Date of Inspection		Weather Conditions					
Permit Certification #		Disturbed Acreage					
Phase of Construction		Inspector Title					
Inspector Name							
Is the above inspector a qualified stormwater manager? (permittee is responsible for ensuring that the inspector is a qualified stormwater manager)			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">YES</td> <td style="width: 50%; text-align: center;">NO</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>	YES	NO	<input type="checkbox"/>	<input type="checkbox"/>
YES	NO						
<input type="checkbox"/>	<input type="checkbox"/>						

INSPECTION FREQUENCY					
Check the box that describes the minimum inspection frequency utilized when conducting each inspection					
At least one inspection every 7 calendar days	<input type="checkbox"/>				
At least one inspection every 14 calendar days, with post-storm event inspections conducted within 24 hours after the end of any precipitation or snowmelt event that causes surface erosions	<input type="checkbox"/>				
<ul style="list-style-type: none"> • This is this a post-storm event inspection. Event Date: _____ 	<input type="checkbox"/>				
Reduced inspection frequency - Include site conditions that warrant reduced inspection frequency	<input type="checkbox"/>				
<ul style="list-style-type: none"> • Post-storm inspections at temporarily idle sites • Inspections at completed sites/area • Winter conditions exclusion 	<input type="checkbox"/>				
Have there been any deviations from the minimum inspection schedule? If yes, describe below.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">YES</td> <td style="width: 50%; text-align: center;">NO</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>	YES	NO	<input type="checkbox"/>	<input type="checkbox"/>
YES	NO				
<input type="checkbox"/>	<input type="checkbox"/>				

INSPECTION REQUIREMENTS*
i. Visually verify all implemented control measures are in effective operational condition and are working as designed in the specifications
ii. Determine if there are new potential sources of pollutants
iii. Assess the adequacy of control measures at the site to identify areas requiring new or modified control measures to minimize pollutant discharges
iv. Identify all areas of non-compliance with the permit requirements, and if necessary, implement corrective action
*Use the attached Control Measures Requiring Routine Maintenance and Inadequate Control Measures Requiring Corrective Action forms to document results of this assessment that trigger either maintenance or corrective actions

AREAS TO BE INSPECTED			
Is there evidence of, or the potential for, pollutants leaving the construction site boundaries, entering the stormwater drainage system or discharging to state waters at the following locations?			
	NO	YES	If "YES" describe discharge or potential for discharge below. Document related maintenance, inadequate control measures and corrective actions Inadequate Control Measures Requiring Corrective Action form
Construction site perimeter	<input type="checkbox"/>	<input type="checkbox"/>	
All disturbed areas	<input type="checkbox"/>	<input type="checkbox"/>	
Designated haul routes	<input type="checkbox"/>	<input type="checkbox"/>	
Material and waste storage areas exposed to precipitation	<input type="checkbox"/>	<input type="checkbox"/>	
Locations where stormwater has the potential to discharge offsite	<input type="checkbox"/>	<input type="checkbox"/>	
Locations where vehicles exit the site	<input type="checkbox"/>	<input type="checkbox"/>	
Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	

REPORTING REQUIREMENTS

The permittee shall report the following circumstances orally within twenty-four (24) hours from the time the permittee becomes aware of the circumstances, and shall mail to the division a written report containing the information requested within five (5) working days after becoming aware of the following circumstances. The division may waive the written report required if the oral report has been received within 24 hours.

All Noncompliance Requiring 24-Hour Notification per Part II.L.6 of the Permit		
a. Endangerment to Health or the Environment Circumstances leading to any noncompliance which may endanger health or the environment regardless of the cause of the incident (See Part II.L.6.a of the Permit) <i>This category would primarily result from the discharge of pollutants in violation of the permit</i>		
b. Numeric Effluent Limit Violations <ul style="list-style-type: none"> o Circumstances leading to any unanticipated bypass which exceeds any effluent limitations (See Part II.L.6.b of the Permit) o Circumstances leading to any upset which causes an exceedance of any effluent limitation (See Part II.L.6.c of the Permit) o Daily maximum violations (See Part II.L.6.d of the Permit) <i>Numeric effluent limits are very uncommon in certifications under the COR400000 general permit. This category of noncompliance only applies if numeric effluent limits are included in a permit certification.</i>		

Has there been an incident of noncompliance requiring 24-hour notification?	NO	YES	
	<input type="checkbox"/>	<input type="checkbox"/>	If "YES" document below

Date and Time of Incident	Location	Description of Noncompliance	Description of Corrective Action	Date and Time of 24 Hour Oral Notification	Date of 5 Day Written Notification *

*Attach copy of 5 day written notification to report. Indicate if written notification was waived, including the name of the division personnel who granted waiver.

After adequate corrective action(s) and maintenance have been taken, or where a report does not identify any incidents requiring corrective action or maintenance, the individual(s) designated as the Qualified Stormwater Manager, shall sign and certify the below statement:

"I verify that, to the best of my knowledge and belief, all corrective action and maintenance items identified during the inspection are complete, and the site is currently in compliance with the permit."



Name of Qualified Stormwater Manager

Title of Qualified Stormwater Manager


Signature of Qualified Stormwater Manager

Date

Notes/Comments



SILT FENCE JOINTS



PREASSEMBLED SILT FENCE

INSTALLATION NOTES:

1. DRIVE POSTS VERTICALLY INTO THE GROUND TO A MINIMUM DEPTH OF 18".
2. EXCAVATE A TRENCH APPROXIMATELY 4" WIDE AND 4" DEEP ALONG THE LINE OF POSTS AND UPSLOPE FROM THE BARRIER.
3. ANCHOR TRENCH SHALL BE EXCAVATED BY HAND, WITH TRENCHER, OR WITH SILT FENCE INSTALLATION MACHINE. NO ROAD GRADERS, BACKHOES, ETC. SHALL BE USED.
4. NOT LESS THAN THE BOTTOM 1' OF THE SILT FENCE FABRIC SHALL BE BURIED IN THE TRENCH.
5. THE TRENCH SHALL BE COMPACTED BY HAND, WITH "JUMPING JACK" OR BY WHEEL ROLLING. COMPACTION SHALL BE SUCH THAT THE SILT FENCE RESISTS BEING PULLED OUT OF ANCHOR TRENCH BY HAND.
6. SILT FENCE INDICATED IN THE PLANS SHALL BE INSTALLED PRIOR TO ANY LAND-DISTURBING ACTIVITIES.
7. USE WOOD POSTS OR OTHER MATERIAL AS ACCEPTED BY THE CITY.

MAINTENANCE NOTES:

1. THE CONTRACTOR SHALL INSPECT SILT FENCE EVERY TWO WEEKS AND AFTER SIGNIFICANT STORM EVENTS AND MAKE REPAIRS OR CLEAN OUT UPSTREAM SEDIMENT AS NECESSARY. SEDIMENT ACCUMULATED UPSTREAM OF SILT FENCE SHALL BE REMOVED WHEN THE UPSTREAM SEDIMENT REACHES A DEPTH OF 6".
2. UPSTREAM SEDIMENT REACHES A DEPTH OF 6".
3. SILT FENCE SHALL BE REMOVED WHEN THE UPSTREAM DISTURBED AREA IS STABILIZED AND GRASS COVER IS ACCEPTED BY THE CITY. IF ANY DISTURBED AREA EXISTS AFTER REMOVAL, IT SHALL BE SEEDED AND MULCHED OR OTHERWISE STABILIZED IN A MANNER ACCEPTED BY THE CITY.

SILT FENCE

SF ——— SF ——— SF ———



CITY OF LOVELAND
PUBLIC WORKS DEPT.
STORMWATER

STORMWATER
CONSTRUCTION
DRAWINGS

APPROVED: KWG
DATE: 8/17/07
DRAWN BY: TBK

DRAWING
SW-10

W1 NOTES:

INSTALLATION:
WHEN INSTALLING RUNNING LENGTHS OF WATTLES, BUTT THE SECOND WATTLE TIGHTLY AGAINST THE FIRST, DO NOT OVERLAP THE ENDS. STAKE THE WATTLES AT EACH END AND FOUR FOOT ON CENTER. FOR EXAMPLE:

- A 25 FOOT WATTLE USES 6 STAKES
- A 20 FOOT WATTLE USES 5 STAKES
- A 12 FOOT WATTLE USES 4 STAKES

STAKES SHOULD BE DRIVEN THROUGH THE MIDDLE OF THE WATTLE, LEAVING 2 - 3 INCHES OF THE STAKE PROTRUDING ABOVE THE WATTLE. A HEAVY SEDIMENT LOAD WILL TEND TO PICK THE WATTLE UP AND COULD PULL IT OFF THE STAKES IF THEY ARE DRIVEN DOWN TOO LOW. IT MAY BE NECESSARY TO MAKE A HOLE IN THE WATTLE WITH A PICK END OF YOUR MADDOX IN ORDER TO GET THE STAKE THROUGH THE STRAW. WHEN STRAW WATTLES ARE USED FOR FLAT GROUND APPLICATIONS, DRIVE THE STAKES STRAIGHT DOWN; WHEN INSTALLING WATTLES ON SLOPES, DRIVE THE STAKES PERPENDICULAR TO THE SLOPE.

DRIVE THE FIRST END STAKE OF THE SECOND WATTLE AT AN ANGLE TOWARD THE FIRST WATTLE IN ORDER TO HELP ABUT THEM TIGHTLY TOGETHER. IF YOU HAVE DIFFICULTY DRIVING THE STAKE INTO EXTREMELY HARD OR ROCKY SLOPES, A PILOT BAR MAY BE NEEDED TO BEGIN THE STAKE HOLE.

W1 & W2 INSTALLATION NOTES:


1. THE LOCATION AND LENGTH OF WATTLE IS DEPENDENT ON THE CONDITIONS OF EACH SITE.
2. WATTLES SHALL BE INSTALLED PRIOR TO ANY LAND-DISTURBING ACTIVITIES.
3. WATTLES SHALL CONSIST OF STRAW, COMPOST, EXCELSIOR, OR COCONUT FIBER.
4. NOT FOR USE IN CONCENTRATED FLOW AREAS.
5. THE WATTLES SHALL BE TRENCHED INTO THE GROUND A MINIMUM OF TWO (2) INCHES.
6. WATTLES SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
7. ON SLOPES, WATTLES SHOULD BE INSTALLED ON CONTOUR WITH A SLIGHT DOWNWARD ANGLE AT THE END OF THE ROW IN ORDER TO PREVENT PONDING AT THE MID SECTION.
8. RUNNING LENGTHS OF WATTLES SHOULD BE ABUTTED FIRMLY TO ENSURE NO LEAKAGE AT THE ABUTMENTS.
9. SPACING - DOWNSLOPE:
VERTICAL SPACING FOR SLOPE INSTALLATIONS SHOULD BE DETERMINED BY SITE CONDITIONS. SLOPE GRADIENT AND SOIL TYPE ARE THE MAIN FACTORS. A GOOD RULE OF THUMB IS:

- 1:1 SLOPES = 10 FEET APART
- 2:1 SLOPES = 20 FEET APART
- 3:1 SLOPES = 30 FEET APART
- 4:1 SLOPES = 40 FEET APART, ETC.

HOWEVER, ADJUSTMENTS MAY HAVE TO BE MADE FOR THE SOIL TYPE: FOR SOFT, LOAMY SOILS - ADJUST THE ROWS CLOSER TOGETHER; FOR HARD, ROCKY SOILS - ADJUST THE ROWS FURTHER APART. A SECONDARY WATTLE PLACED BEHIND THE ABUTMENT OF TWO WATTLES IS ENCOURAGED ON STEEP SLOPES OR WHERE JOINTS HAVE FAILED IN THE PAST.


10. STAKING: THE CITY RECOMMENDS USING WOOD STAKES TO SECURE THE WATTLES. 1/2" TO 5/8" REBAR IS ALSO ACCEPTABLE. BE SURE TO USE A STAKE THAT IS LONG ENOUGH TO PROTRUDE SEVERAL INCHES ABOVE THE WATTLE: 18" IS A GOOD LENGTH FOR HARD, ROCKY SOIL. FOR SOFT LOAMY SOIL USE A 24" STAKE.

PERVIOUS INSTALLATION



WATTLES - DETAIL A


W1



W2 NOTES:


INSTALLATION:
STAKES SHOULD BE DRIVEN ACROSS FROM EACH OTHER AND ON EACH SIDE OF THE WATTLE, LEAVING 4"-6" OF STAKE PROTRUDING ABOVE THE WATTLE. BAILING WIRE OR NYLON ROPE SHOULD BE TIED TO THE STAKES ACROSS THE WATTLE. STAKES SHOULD THEN BE DRIVEN UNTIL THE BAILING WIRE OR NYLON ROPE IS SUFFICIENTLY SNUG TO THE WATTLE.

WHEN INSTALLING RUNNING LENGTHS OF WATTLES, TO PREVENT SHIFTING, BUTT THE SECOND WATTLE TIGHTLY AGAINST THE FIRST. DO NOT OVERLAP THE ENDS. STAKES SHOULD BE DRIVEN 1 FT. FROM END, ACROSS FROM AND ON EACH SIDE OF WATTLE LEAVING 4"-6" OF STAKE PROTRUDING ABOVE THE WATTLE. BAILING WIRE OR NYLON ROPE SHOULD BE TIED TO STAKES IN AN HOUR GLASS FORMATION (FRONT TO BACK OF WATTLE "A", ACROSS TO FRONT OF WATTLE "B", ACROSS TO BACK AND BACK TO FRONT OF WATTLE "A"). STAKES SHOULD THEN BE DRIVEN IN UNTIL BAILING WIRE OR NYLON ROPE IS SUFFICIENTLY SNUG TO THE WATTLE.




W2 NOTE:

ONLY WATTLES MADE WITH COCONUT FIBERS SHALL BE USED WHEN INSTALLATION COMES IN CONTACT WITH A WATER BODY.



WATTLES - DETAIL B

W2




W3, W4 & W5 NOTES:

1. WHEN USING STRAW WATTLE, THE STRAW WATTLE MUST HAVE A WEIGHTED CORE.
2. ALL PRODUCTS SHALL BE INSTALLED PER THE MANUFACTURER'S SPECIFICATIONS.
3. OTHER PRODUCTS MAY BE USED IN PLACE OF WEIGHTED WATTLES UPON WRITTEN APPROVAL FROM THE CITY. NOTE: A COPY OF DETAILS AND SPECIFICATIONS WILL NEED TO BE INCORPORATED INTO THE SWMP.

W3 NOTE:


IF THE AREA BEHIND THE INLET IS NOT STABILIZED, A BMP SHOULD BE USED TO PREVENT SEDIMENT FROM ENTERING THE INLET

IMPERVIOUS INSTALLATION



CURB INLET WATTLE PROTECTION SETUP


W3



CURBSIDE CHECKDAMS SETUP

W4

1. NUMBER OF WATTLES AND SPACING SHOULD BE DETERMINED BY THE SLOPE AND SITE CONDITIONS.
2. TUBULAR MARKERS SHALL MEET THE REQUIREMENTS OF MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD)
3. CITY RECOMMENDS INSTALLING AT LEAST 3 CHECKDAMS WHEN USING THIS SETUP.



CONCRETE CHASE/TRICKLE CHANNEL SETUP

W5

WATTLE MAINTENANCE NOTES:

1. THE CONTRACTOR SHALL INSPECT WATTLES EVERY TWO WEEKS AND AFTER ANY SIGNIFICANT STORM EVENT AND MAKE REPAIRS OR REMOVE SEDIMENT ACCUMULATED BEHIND WATTLE AS NECESSARY.
2. SEDIMENT ACCUMULATED BEHIND WATTLE SHALL BE REMOVED WHEN THE SEDIMENT HAS ACCUMULATED TO ONE HALF THE DIAMETER OF THE WATTLE.
3. WATTLES SHALL REMAIN IN PLACE UNTIL THE UPSTREAM DISTURBED AREA IS STABILIZED AND IS ACCEPTED BY THE CITY.

WATTLE INSTALLATION

W



CITY OF LOVELAND
PUBLIC WORKS DEPT.
STORMWATER

STORMWATER
CONSTRUCTION
DRAWINGS

APPROVED: KWG
DATE: 4/23/09
DRAWN BY: TBK


DRAWING
SW-13

INSTALLATION NOTES:

1. VEHICLE TRACKING CONTROL PAD SHALL BE LOCATED AT EVERY ACCESS POINT TO THE CONSTRUCTION SITE.
2. A SIGN SHALL BE PLACED NEXT TO THE VEHICLE TRACKING CONTROL PAD TO DESIGNATE THE LOCATION AS THE CONSTRUCTION ENTRANCE/EXIT.
3. VEHICLE TRACKING CONTROL (VTC) PADS SHALL CONSIST OF HARD, DENSE, DURABLE ROCK, ANGULAR IN SHAPE AND RESISTANT TO WEATHERING. ROUNDED STONE SHALL NOT BE USED, i.e., RIVER ROCK AND COBBLES. THE ROCK SHALL BE A MINIMUM OF 3" AND A MAXIMUM OF 6" DIAMETER. THE ROCK SHALL HAVE A SPECIFIC GRAVITY OF AT LEAST 2.6. CONTROL OF GRADATION WILL BE BY VISUAL INSPECTION. NOTE: OTHER MATERIALS, i.e., ROADBASE, MUD MATS, ETC., MAY BE USED IN PLACE OF ROCK UPON WRITTEN APPROVAL OF THE CITY INSPECTOR.
4. ANY CRACKED OR DAMAGED CURB AND GUTTER AND SIDEWALK SHALL BE REPLACED BY CONTRACTOR.
5. ALTHOUGH NOT NORMALLY USED, THE CITY RESERVES THE RIGHT TO REQUIRE VEHICLE TRACKING CONTROL WITH A TEMPORARY CATTLE GUARD AND/OR WHEEL WASH FACILITIES AT SITES WHERE TRACKING ONTO PAVED AREAS BECOMES A SIGNIFICANT PROBLEM AS DETERMINED BY THE CITY INSPECTOR.
6. IF VEHICLE TRACKING CONTROL WITH WHEEL WASH FACILITIES ARE REQUIRED, ALL WHEELS ON EVERY VEHICLE LEAVING THE SITE SHALL BE CLEANED OF MUD USING A PRESSURE-WASHER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A WATER SOURCE AND CONSTRUCTING A WASHWATER SEDIMENT TRAP.

MAINTENANCE NOTES:

1. CONTRACTOR SHALL INSPECT VEHICLE TRACKING CONTROL PAD DAILY. ROCK SURFACE SHALL BE CLEAN AND LOOSE ENOUGH TO RUT SLIGHTLY UNDER WHEEL LOADS AND CAUSE LOOSE ROCK TO DISLodge MUD FROM TIRES. WHEN ROCK BECOMES COMPACTED OR FILLED WITH SEDIMENT SO THAT THE EFFECTIVENESS OF THE PAD IS DIMINISHED, CONTRACTOR SHALL RIP, TURN OVER, OR OTHERWISE LOOSEN ROCK, PLACE ADDITIONAL NEW ROCK, OR REPLACE WITH NEW ROCK AS NECESSARY TO RESTORE EFFECTIVENESS.
2. SEDIMENT AND OTHER MATERIAL SPILLED, DROPPED OR TRACKED ONTO PAVED SURFACES SHALL BE REMOVED IMMEDIATELY OR BY THE END OF EACH WORKING DAY.
3. VEHICLE TRACKING CONTROL PAD SHALL BE REMOVED AT THE END OF CONSTRUCTION. THE AREA SHOULD BE TOPSOILED, SEEDED, CRIMPED, AND MULCHED OR OTHERWISE STABILIZED.
4. IF VEHICLE WHEEL WASH FACILITIES ARE REQUIRED, CONTRACTOR SHALL INSPECT VEHICLE TRACKING CONTROL AND WHEEL WASH FACILITIES DAILY. ACCUMULATED SEDIMENTS SHALL BE REMOVED FROM THE PAD SURFACE.
5. ACCUMULATED SEDIMENT IN THE WASHWATER/SEDIMENT TRAP SHALL BE REMOVED WHEN THE SEDIMENT REACHES AN AVERAGE DEPTH OF 12-INCHES.



VEHICLE TRACKING CONTROL PAD

VTC



CITY OF LOVELAND
PUBLIC WORKS DEPT.
STORMWATER


STORMWATER
CONSTRUCTION
DRAWINGS

APPROVED: KWG
DATE: 3/18/13
DRAWN BY: TBK

DRAWING
SW-15

LEGEND


- GUTTER DOWNSPOUTS
- ▨ TEMPORARY OR PERMANENT BMP TO PREVENT EROSION
- WATTLE
- SF — SILT FENCE



TYPICAL PLAN VIEW

1. STORMWATER QUALITY BEST MANAGEMENT PRACTICES SHALL BE IMPLEMENTED TO MINIMIZE SOIL EROSION, SEDIMENTATION, INCREASED POLLUTANT LOADS AND CHANGED WATER FLOW CHARACTERISTICS RESULTING FROM LAND DISTURBING ACTIVITY, TO THE MAXIMUM EXTENT PRACTICABLE, SO AS TO MINIMIZE POLLUTION OF RECEIVING WATERS.
2. IT IS THE OBLIGATION OF THE PERMITEE TO ENSURE THAT EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT CONSTRUCTION, UNTIL FINAL SOIL STABILIZATION/REVEGETATION IS ACHIEVED.
3. INSTALL TEMPORARY BMPs TO INTERCEPT AND PREVENT ALL SEDIMENT FROM BEING TRANSPORTED IN RUNOFF FROM THE LOT.

SILT FENCE, WATTLE, OR OTHER TEMPORARY BMP TO PREVENT SEDIMENT FROM WASHING ONTO ROAD.



TYPICAL PROFILE

4. INSTALLATION AND MAINTENANCE OF TEMPORARY LOT SEDIMENT AND EROSION CONTROL BMPs SHALL COMPLY WITH CHAPTER 13.20 OF THE LOVELAND MUNICIPAL CODE.
5. INSPECTION FREQUENCY: ONCE EVERY FOURTEEN (14) DAYS AND AFTER EVERY SIGNIFICANT STORM EVENT.
6. MAINTENANCE: SEDIMENT AND OTHER MATERIAL SPILLED, DROPPED, OR TRACKED ONTO PUBLIC ROADS SHALL BE REMOVED BY THE END OF EACH WORKING DAY. SEDIMENT SHALL BE REMOVED UPSTREAM OF SILT FENCE AND WATTLES WHEN THEY ARE 1/2 FULL.
7. A VEHICLE TRACKING CONTROL PAD (VTC) MAY BE REQUIRED BY THE CITY INSPECTOR WHERE TRACKING ONTO PAVED AREAS BECOMES A SIGNIFICANT PROBLEM AS DETERMINED BY THE CITY INSPECTOR IN THEIR SOLE DISCRETION.
8. PORT-O-LETS SHALL BE ANCHORED AT ALL TIMES AND PLACED NO CLOSER THAN 50 FT. TO A STORM DRAIN INLET UNLESS OTHERWISE APPROVED BY THE CITY INSPECTOR.
9. TEMPORARY BMPs SHALL BE UTILIZED TO PREVENT CONCRETE AND OTHER MATERIALS FROM BEING RANDOMLY DISPOSED OF ON-SITE.
10. GOOD HOUSEKEEPING SHALL BE PERFORMED DAILY TO PREVENT CONSTRUCTION MATERIALS FROM BEING DISCHARGED OFF-SITE.
11. DUMPSTERS SHALL BE COVERED AND PLACED NO CLOSER THAN 50 FT. TO A STORM DRAIN INLET UNLESS OTHERWISE APPROVED BY THE CITY INSPECTOR.

RESIDENTIAL LOT STORMWATER MANAGEMENT PLAN (SWMP)



CITY OF LOVELAND
PUBLIC WORKS DEPT.
STORMWATER

STORMWATER
CONSTRUCTION
DRAWINGS

APPROVED: KGW
DATE: 1/25/12
DRAWN BY: CAC

DRAWING
SW-16

BMPs FOR INITIAL AND MID-CONSTRUCTION INSPECTIONS



CUT BACK - Cut down lot 2"-4" below back of sidewalk or curb.
Benefits - Low cost, can drive over.
Disadvantages - High maintenance as you must clean all sediment off paved surfaces. Will not work once lot is set to grade.



TRENCH/BERM - Use mechanical equipment to cut in a trench and then drive over spoils to create a berm.
Benefits - Low cost and easy to maintain.
Disadvantages - Only suitable for back and side of lot away from paved surfaces. Will not work once lot is set to grade and must be removed before final inspection.



FOAM WATTLES -
Benefits - Reusable, can drive over, easily installed and maintained.
Disadvantages - Cost may be high.



STRAW WATTLES -
Benefits - Easy to install and does an excellent job keeping sediment on lot if installed correctly. Low cost.
Disadvantages - Cannot be driven over, must be staked in place, can be hard to maintain with trades driving/walking over and smashing.

BMPs FOR INITIAL AND MID-CONSTRUCTION INSPECTIONS



SILT FENCE -

Benefits - Does an excellent job keeping sediment on lot if installed correctly. May be a low cost option compared to other BMPs.

Disadvantages - Cannot be driven over, hard to install correctly, can be hard to maintain with trades driving/walking over, hard to maintain with strong winds.



VEHICLE TRACKING CONTROLS -

Benefits - Does an excellent job keeping sediment on lot if installed correctly.

Disadvantages - Maybe expensive and hard to find an applicable location on small lots.

BMPs FOR FINAL CO ACCEPTANCE



EROSION FABRIC -

Benefits - Easy to install and does an excellent job keeping sediment on lot, prevents rilling and rutting and looks clean for the new owner.

Disadvantages - Cost.



LANDSCAPED AREA-

Benefits - This is the best option as it will fully prevent erosion of sediment.

Disadvantage - It is not always feasible for the builder to complete landscaping before the issuance of C.O.



ROCK-

Benefits - Cost, easy to install.

Disadvantages - May not fully prevent erosion of sediment and therefore maintenance may be more cumbersome.



WATTLES -

Benefits - Could reuse materials already onsite and easy to install.

Disadvantages - If not installed properly it can cause more of a mess.



Residential Water & Wastewater

Service Installation Report

Instructions

It is responsibility of the Service Line Installer to install the water and wastewater service lines per the Manufacture's requirements, current requirements of the International Plumbing Code, and current Industry standards.

Note: As of August 8, 2018, per Colorado Law- the installation of all underground water and wastewater services are required to be electronically locatable. Per Detail W-101 tracer wire is required to be installed on all non-metallic pipes. Tracer wire test stations are required near the house foundation. The requirement for wastewater tracer wire is waived if there no tracer wire stub for the wastewater service was provided when the wastewater main was installed.

Wastewater Service Installation Recommendations:

Material: PVC SDR 35 gasketed pipe and fittings (no glued joints). Schedule 40 PVC is recommended under any structural slabs (garages).

Bedding: 3/4" gravel or granular material or Pea Gravel (native materials are not suitable backfill). The bedding should extend a minimum of 4" under the pipe and 12" around the sides and the top of the pipe. Bedding materials should be placed to provide a uniform support under the pipe to prevent low spots.

Depth: Building sewers shall be installed not less than 24" below grade.

Slope: The pipe should be laid as consistent as possible with slopes as recommended by the IPC (4": 2.08% Min/21.02% Max, 6": 1.04% Min/12.25% Max)

Vertical Bends: Should be used if pipe slopes reach maximum and should be supported in the recommended 3/4" gravel bedding through the vertical portion of pipe.

Cleanouts: Should be provided as recommended by the IPC: located not more than 100' apart, installed at each change of direction greater than 45 degrees, and installed at the house foundation where the junction of the interior and exterior building drain intersects.

Water Service Installation Recommendations:

Material: Type K Copper or Copper tubing sized (CTS) High Density Polyethylene (HDPE) (needs to meet criteria for direct bury and potable water) with compression fittings.

Bedding: Preference of washed sand. Alternative is washed pea gravel.

Depth: Exterior water supply piping shall be installed not less than 54" below grade.

Tracer Wire Installation Recommendations:

Material: If using plastic pipe provide a single strand of coated 12 gage wire with the pipe for future tracing.

Splice Kits: Gel type

Ground Rods: (for wastewater service only)
Copperhead ANO-12 or approved equal

Tracer Wire Test Station: Brooks Products 1-RT, or C.P. Test Service Inc. Mini Box, or approved equal.

Continuity: After installation and backfill the tracer wire must be tested by the installer for continuity by passing current through the wire and demonstrating that the tracing wire is capable of locating the pipe. If not, the wire shall be repaired.

If you have any questions on the Submittal please contact Donald Cecil @ (970) 962-3702


SUBMIT:

- 1) **Water & Wastewater Service Installation Report: Completed and signed**
- 2) **PHOTOGRAPHS: Provide the following as a MINIMUM. Photos must be CLEAR and submitted in either PDF or JPG format.**
 - PHOTO 1 – Water Connection: show water service connection to stub with evidence of any splices and/or tracer wire connection to existing copper pipe.
 - PHOTO 2 – Wastewater Connection: show wastewater service connection to stub with evidence of tracer wire (if used).
 - PHOTO 3 – Water Trench: show water service trench & tracer wire (if used).
 - PHOTO 4 – Wastewater Trench: show wastewater service trench & tracer wire (if used).
 - PHOTO 5 – Foundation Water Service tracer wire test station: show test station at foundation with wires visible (if used).
 - PHOTO 6- Foundation Wastewater Service tracer wire test station: show test station at foundation with wires visible (if used).

BY EMAIL TO: buildinginspectionletters@cityofloveland.org & donald.cecil@cityofloveland.org

Reports should be submitted as soon as the services have been installed & NO later than 5 days prior to CO

Irrigation Sprinkler Permits are required for residential irrigation systems. Instructions and permits are on the Web at: <https://www.lovelandwaterandpower.org/about-us/water/sprinkler-inspections>



NOTES:

1. TRACER WIRE IS REQUIRED FOR ALL NON-METALLIC PIPES.
2. PLACE TRACER WIRE ON TOP OF PIPE AND TAPE WIRE TO PIPE EVERY 10' MINIMUM.
3. GROUND ROD SHALL BE INSTALLED INTO UNDISTURBED SOIL AND PLACED AT TEE/TAP ON OPPOSITE SITE OF MAIN FROM DIRECTION OF TEE/TAP AND WITHIN 12" OF HORIZONTAL SEPARATION OF THE WASTEWATER MAIN OR MH.
4. ONLY ONE UNDERGROUND WIRE SPLICE WILL BE ALLOWED. SPLICE SHALL BE IN A GEL CAP SPLICE KIT SUITABLE FOR UNDERGROUND INSTALLATION.
5. FOR SEWER SERVICE STUBS FOR FUTURE CONNECTIONS PROVIDE A MINIMUM OF TWO FEET OF TRACER WIRE WRAPPED AND TAPED TO MARKER POST.
6. INSTALL TRACER WIRE TEST STATION AT FOUNDATION FOR WATER AND NEXT TO CLEAN-OUT FOR SEWER.
7. ALL TEST STATIONS ARE PRIVATE AND SHALL BE CLEARLY LABELED.

WATER AND WASTEWATER SERVICE TRACER WIRE



**CITY OF LOVELAND
DEPARTMENT OF
WATER AND POWER**

**W/WW CONSTRUCTION
DRAWINGS**

DATE APPROVED: 2024

DATE REVISED:
2024 EDITION

**DRAWING
W-101**

* SAMPLE *



Residential Water & Wastewater Service Installation Report

Email completed form and required photographs documenting tracer wire installation to:
buildinginspectionletters@cityofloveland.org & donald.cecil@cityofloveland.org



This form should be completed and submitted after the services are installed and no later than 5 days prior to requesting a Certificate of Occupancy. If you have any questions on this form contact (970) 962-3702.

Address: 123 Main Street
 Subdivision: Residential 1st Subdivision
 Lot #: 1 Block: 2

Building Permit #: 24-00001
 Installation Date: 01/02/2024

Water and Wastewater Service Sketch

Wastewater Profile Sketch



Sketch Criteria: Show North Arrow, lot lines, piping lengths, piping material types, depths, couplings, fittings, clean-outs, curb stop box or meter pit referenced from two locations, sidewalk with "W" and "S" each location, foundation, ground level, piping slope. For services parallel to building, dimension offset from building structure.

Installer Certification: (By signing, you are certifying that the service and tracer wire (if used) was installed per criteria.)

Company Name: Service Sub Contractor Installer name: Dan Pipe
 Address: 456 Pipe Drive Installer Signature: [Signature]
 City: Denver State: CO Zip: 80001 Phone #: (303) 999-9999

The continuity of the tracer wire has been tested and confirmed to be continuous.

Builder Certification: (By signing, you are certifying that the Installer has installed the water and sewer services per criteria.)

Company Name: Building General Superintendent name: Bill House
 Address: 789 New Home Street Superintendent Signature: [Signature]
 City: Loveland State: CO Zip: 80537 Phone #: (970) 999-9999



Residential Water & Wastewater Service Installation Report

Email completed form and required photographs documenting tracer wire installation to: buildinginspectionletters@cityofloveland.org & donald.cecil@cityofloveland.org.

This form should be completed and submitted after the services are installed and no later than 5 days prior to requesting a Certificate of Occupancy. If you have any questions on this form contact (970) 962-3702.

Address: _____ Building Permit #: _____
Subdivision: _____ Installation Date: _____
Lot #: _____ Block: _____

Water and Wastewater Service Sketch

Wastewater Profile Sketch

Sketch Criteria: Show North Arrow, lot lines, piping lengths, piping material types, depths, couplings, fittings, clean-outs, curb stop box or meter pit referenced from two locations, sidewalk with “W” and “S” each location, foundation, ground level, piping slope. For services parallel to building, dimension offset from building structure.

Installer Certification: (By signing, you are certifying that the service and tracer wire (if used) was installed per criteria.)

Company Name: _____ Installer name: _____
Address: _____ Installer Signature: _____
City: _____ State: ____ Zip: _____ Phone #: (____) _____

The continuity of the tracer wire has been tested and confirmed to be continuous.

Builder Certification: (By signing, you are certifying that the Installer has installed the water and sewer services per criteria.)

Company Name: _____ Superintendent name: _____
Address: _____ Superintendent Signature: _____
City: _____ State: ____ Zip: _____ Phone #: (____) _____

NEW CONSTRUCTION Fiber to the Home Rebate



Get a \$150 rebate for each fiber conduit installation on your single family or duplex new construction. Here's how:

Install 2" fiber conduit per the attached schematic.

When applying for a building permit with the City of Loveland, select yes for the fiber conduit option.

The fiber conduit inspection will be conducted at the same time as your Service Entrance Location inspection.

Upon inspection pass, Pulse will reimburse you \$150 per single family home or duplex.

Questions? Email pulse@lovelandpulse.com.

Get Ready to Thrive in the Gigabit Economy

Fiber-optic broadband is the most modern, robust, and resilient internet technology available. As the only 100% fiber-optic network in Loveland, Pulse is committed to providing your community with the most advanced communications network available.



SAVE TIME & MONEY

We'll work with your timeline and help make the process as easy as possible for you. Digging once during construction means no trenching into landscaping or hardscaping later.



FUTURE-READY HOMES

Bandwidth demand is sky-rocketing with e-learning, working from home, IoT devices, and so on. Pulse's network can handle whatever the future brings.



COMPETITIVE EDGE


Homebuyers expect connectivity and cutting edge features. Fiber to each premises means no shared connections, reliability, and symmetrical upload and download speeds. Pulse broadband sets your homes above the competition with advanced communications technology.




RETURN ON INVESTMENT

A Broadband Communities study revealed that access to fiber to the home services **increased the value of a \$300,000 home by an average of \$5,000 - \$6,000.**

Single family homes that can boast a fiber to the home connection are **worth, on average, 3.1 percent more** than their fiberless counterparts.



PROFILE VIEW



PLAN VIEW

NOTES:
PULSE FIBER CONDUIT IS ALLOWED TO BE DIRECTLY NEXT TO POWER CONDUIT. ALL OTHER COMMUNICATIONS LINES ARE MIN 12" CLEARANCE FROM POWER



CITY OF LOVELAND WATER & POWER

Date:

Drawing No.

Requirements for Electric Service

JUNE 2021

RESIDENTIAL UNDERGROUND JOINT TRENCH
ELECTRIC AND PULSE FIBER